

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	26448		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	26348		99.62 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	19923		77.92 %
ABR	364		1.42 %
DISTORTION PRODUCT	5270		20.61 %
TEOAE	4		0.02 %
BILATERALLY COMPLETED REPORTS	25561		97.01 %
PASSED	24466		95.69 %
BILATERAL FAIL	321		1.26 %
FAILED IN LEFT EAR ONLY	441		1.72 %
FAILED IN RIGHT EAR ONLY	333		1.30 %
INCOMPLETE SCREEN REPORTS	693		2.63 %
EQUIPMENT FAILURE	66		9.52 %
NEWBORN DISCHARGED	41		5.92 %
NICU HEARING PENDING	234		33.77 %
REFUSED	128		18.47 %
RESTLESSNESS	5		0.72 %
ENVIRONMENTAL NOISE	3		0.43 %
TRANSFER TO ANOTHER FACILITY	157		22.66 %
DECEASED	37		5.34 %
OTHER	22		3.17 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1888		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1314)	69.60 %
MISSING CASES	100		0.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	321	(240)	74.77 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	774	(573)	74.03 %
INCOMPLETE CASES (RESULTS RECEIVED)	693	(501)	72.29 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	369	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	368	99.73 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	357	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	357	97.01 %
PASSED	304	85.15 %
BILATERAL FAIL	21	5.88 %
FAILED IN LEFT EAR ONLY	19	5.32 %
FAILED IN RIGHT EAR ONLY	13	3.64 %
INCOMPLETE SCREEN REPORTS	11	2.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	7	63.64 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	9.09 %
RESTLESSNESS	2	18.18 %
ENVIRONMENTAL NOISE	1	9.09 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Allegiance Health System</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	65		
TOTAL FOLLOW UP RESULTS RECEIVED **		(44)	67.69 %
MISSING CASES	1		0.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	21	(15)	71.43 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	32	(24)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(5)	45.45 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	29	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	26	89.66 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		79.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	95.65 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	4.35 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	88.46 %
PASSED	21	91.30 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	4.35 %
FAILED IN RIGHT EAR ONLY	1	4.35 %
INCOMPLETE SCREEN REPORTS	3	11.54 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	66.67 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	37.50 %
MISSING CASES	3		10.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	74	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	73	98.65 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	4.23 %
ABR	0	0.00 %
DISTORTION PRODUCT	68	95.77 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	71	97.26 %
PASSED	70	98.59 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.41 %
INCOMPLETE SCREEN REPORTS	2	2.74 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		1.35 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	25	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	25	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	24	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	24	96.00 %
PASSED	24	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	4.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Grandview Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	23	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	100.00 %
PASSED	23	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Portage Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT OF GROSSE POINTE HOSPITAL, GROSSE POINTE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	152	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	150	98.68 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	148	98.67 %
ABR	1	0.67 %
DISTORTION PRODUCT	1	0.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	150	100.00 %
PASSED	143	95.33 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	5	3.33 %
FAILED IN RIGHT EAR ONLY	2	1.33 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	66.67 %
MISSING CASES	2		1.32 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BELL MEMORIAL HOSPITAL, ISHPEMING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	61	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	61	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	61	100.00 %
PASSED	59	96.72 %
BILATERAL FAIL	1	1.64 %
FAILED IN LEFT EAR ONLY	1	1.64 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOLZMAN, SANDRA, MILLINGTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	300	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	293	97.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		84.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	17	6.72 %
ABR	5	1.98 %
DISTORTION PRODUCT	231	91.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	253	86.35 %
PASSED	238	94.07 %
BILATERAL FAIL	6	2.37 %
FAILED IN LEFT EAR ONLY	6	2.37 %
FAILED IN RIGHT EAR ONLY	3	1.19 %
INCOMPLETE SCREEN REPORTS	40	13.65 %
EQUIPMENT FAILURE	38	95.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	5.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62	
TOTAL FOLLOW UP RESULTS RECEIVED **		(29) 46.77 %
MISSING CASES	7	2.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	40	(19) 47.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER- SCN, KALAMAZOO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	0		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	0		0.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	210	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	208	99.05 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.10 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	11	5.34 %
ABR	8	3.88 %
DISTORTION PRODUCT	187	90.78 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	206	99.04 %
PASSED	200	97.09 %
BILATERAL FAIL	4	1.94 %
FAILED IN LEFT EAR ONLY	1	0.49 %
FAILED IN RIGHT EAR ONLY	1	0.49 %
INCOMPLETE SCREEN REPORTS	2	0.96 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	50.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	70.00 %
MISSING CASES	2	0.95 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	222	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	219	98.65 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	183	85.92 %
ABR	29	13.62 %
DISTORTION PRODUCT	1	0.47 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	213	97.26 %
PASSED	207	97.18 %
BILATERAL FAIL	1	0.47 %
FAILED IN LEFT EAR ONLY	1	0.47 %
FAILED IN RIGHT EAR ONLY	4	1.88 %
INCOMPLETE SCREEN REPORTS	6	2.74 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	60.00 %
MISSING CASES	3		1.35 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5)	83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	641	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	640	99.84 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.97 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	625	99.52 %
ABR	3	0.48 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	628	98.13 %
PASSED	597	95.06 %
BILATERAL FAIL	9	1.43 %
FAILED IN LEFT EAR ONLY	15	2.39 %
FAILED IN RIGHT EAR ONLY	7	1.11 %
INCOMPLETE SCREEN REPORTS	12	1.88 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	10	83.33 %
REFUSED	1	8.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	8.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	44		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	84.09 %
MISSING CASES	1		0.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(9)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(16)	72.73 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(12)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		40.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	34	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	34	40.00 %
PASSED	34	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	51	60.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	1.96 %
NICU HEARING PENDING	50	98.04 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(48)	94.12 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	51	(48)	94.12 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BURGESS , KATHLEEN, BEAVERTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	1	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BURNETT, JENNIFER, GOODRICH

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	88	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.18 %
ABR	0	0.00 %
DISTORTION PRODUCT	84	98.82 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	96.59 %
PASSED	81	95.29 %
BILATERAL FAIL	3	3.53 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.18 %
INCOMPLETE SCREEN REPORTS	3	3.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 57.14 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	35	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	35	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	2.86 %
ABR	0	0.00 %
DISTORTION PRODUCT	34	97.14 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	35	100.00 %
PASSED	26	74.29 %
BILATERAL FAIL	6	17.14 %
FAILED IN LEFT EAR ONLY	1	2.86 %
FAILED IN RIGHT EAR ONLY	2	5.71 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICH NICU, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,
COLDWATER

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	58	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	57	98.28 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	50	90.91 %
ABR	4	7.27 %
DISTORTION PRODUCT	1	1.82 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	55	96.49 %
PASSED	55	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	3.51 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	1		1.72 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	651	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	648	99.54 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	643	99.69 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.31 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	645	99.54 %
PASSED	610	94.57 %
BILATERAL FAIL	4	0.62 %
FAILED IN LEFT EAR ONLY	16	2.48 %
FAILED IN RIGHT EAR ONLY	15	2.33 %
INCOMPLETE SCREEN REPORTS	3	0.46 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	66.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	41		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	46.34 %
MISSING CASES	3		0.46 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	31	(15)	48.39 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	110		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	108		98.18 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			91.82 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	100		99.01 %
ABR	1		0.99 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	101		93.52 %
PASSED	100		99.01 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		0.99 %
INCOMPLETE SCREEN REPORTS	7		6.48 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		14.29 %
NICU HEARING PENDING	2		28.57 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		14.29 %
DECEASED	3		42.86 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	60.00 %
MISSING CASES	2		1.82 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	313	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	311	99.36 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	304	99.67 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	304	97.75 %
PASSED	300	98.36 %
BILATERAL FAIL	2	0.66 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	0.66 %
INCOMPLETE SCREEN REPORTS	7	2.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	14.29 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	71.43 %
DECEASED	1	14.29 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	53.85 %
MISSING CASES	2		0.64 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL SCN, ROCHESTER

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	1	100.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	119	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	117	98.32 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.96 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	113	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	113	96.58 %
PASSED	113	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	3.42 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	66.67 %
MISSING CASES	2		1.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DOWD , CATHY, MIDLAND

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	12	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	12	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	12	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(12)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	12	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	75.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		8.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	11.11 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	88.89 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	6	75.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	0	0.00 %
OTHER	1	12.50 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	54.55 %
MISSING CASES	3		25.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(6)	75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	168	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	163	97.02 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	139	99.29 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	140	85.89 %
PASSED	130	92.86 %
BILATERAL FAIL	4	2.86 %
FAILED IN LEFT EAR ONLY	6	4.29 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	23	14.11 %
EQUIPMENT FAILURE	12	52.17 %
NEWBORN DISCHARGED	7	30.43 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	1	4.35 %
TRANSFER TO ANOTHER FACILITY	3	13.04 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Garden City Hosp. - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38	
TOTAL FOLLOW UP RESULTS RECEIVED **		(20) 52.63 %
MISSING CASES	5	2.98 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	23	(12) 52.17 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	499	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	497	99.60 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	493	99.80 %
ABR	1	0.20 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	494	99.40 %
PASSED	489	98.99 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	0.81 %
FAILED IN RIGHT EAR ONLY	1	0.20 %
INCOMPLETE SCREEN REPORTS	3	0.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Comprehensive Hearing Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	70.00 %
MISSING CASES	2		0.40 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HAYDEN, TAMI, CORAL

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	6		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3		50.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			16.67 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1		33.33 %
PASSED	1		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	2		66.67 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	2		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	3		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		60.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	75.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	60.00 %
PASSED	3	75.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	40.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	150.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(3)	150.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	316		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	314		99.37 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.37 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	306		97.45 %
ABR	8		2.55 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	314		100.00 %
PASSED	286		91.08 %
BILATERAL FAIL	9		2.87 %
FAILED IN LEFT EAR ONLY	5		1.59 %
FAILED IN RIGHT EAR ONLY	14		4.46 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Hospital -Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	70.00 %
MISSING CASES	2		0.63 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19	(15)	78.95 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	334	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	330	98.80 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.90 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	271	82.87 %
ABR	55	16.82 %
DISTORTION PRODUCT	1	0.31 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	327	99.09 %
PASSED	304	92.97 %
BILATERAL FAIL	9	2.75 %
FAILED IN LEFT EAR ONLY	9	2.75 %
FAILED IN RIGHT EAR ONLY	5	1.53 %
INCOMPLETE SCREEN REPORTS	3	0.91 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	66.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30	
TOTAL FOLLOW UP RESULTS RECEIVED **	(15)	50.00 %
MISSING CASES	4	1.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(8) 57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1) 33.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	370	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	367	99.19 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	277	76.94 %
ABR	82	22.78 %
DISTORTION PRODUCT	1	0.28 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	360	98.09 %
PASSED	352	97.78 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	1.11 %
FAILED IN RIGHT EAR ONLY	4	1.11 %
INCOMPLETE SCREEN REPORTS	7	1.91 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	61.11 %
MISSING CASES	3		0.81 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	464	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	464	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	442	97.14 %
ABR	12	2.64 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	454	97.84 %
PASSED	436	95.82 %
BILATERAL FAIL	2	0.44 %
FAILED IN LEFT EAR ONLY	8	1.76 %
FAILED IN RIGHT EAR ONLY	8	1.76 %
INCOMPLETE SCREEN REPORTS	10	2.16 %
EQUIPMENT FAILURE	1	10.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	10.00 %
DECEASED	1	10.00 %
OTHER	1	10.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	16	(13)	81.25 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(9)	90.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	358	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	358	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	356	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	356	99.44 %
PASSED	335	94.10 %
BILATERAL FAIL	4	1.12 %
FAILED IN LEFT EAR ONLY	13	3.65 %
FAILED IN RIGHT EAR ONLY	4	1.12 %
INCOMPLETE SCREEN REPORTS	2	0.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hug Center for Hearing	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23	
TOTAL FOLLOW UP RESULTS RECEIVED **	(13)	56.52 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(8) 47.06 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	17	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	94.12 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	16	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	16	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	94.12 %
MISSING CASES	1		5.88 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(16)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	92	98.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	91	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	98.91 %
PASSED	80	87.91 %
BILATERAL FAIL	4	4.40 %
FAILED IN LEFT EAR ONLY	2	2.20 %
FAILED IN RIGHT EAR ONLY	5	5.49 %
INCOMPLETE SCREEN REPORTS	1	1.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hillsdale Comm. Hosp. - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	61.54 %
MISSING CASES	1		1.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	416		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	416	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	416	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	416	100.00 %	
PASSED	405	97.36 %	
BILATERAL FAIL	4	0.96 %	
FAILED IN LEFT EAR ONLY	6	1.44 %	
FAILED IN RIGHT EAR ONLY	1	0.24 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holland Ob		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	692	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	682	98.55 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	646	95.14 %
ABR	2	0.29 %
DISTORTION PRODUCT	31	4.57 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	679	99.56 %
PASSED	669	98.53 %
BILATERAL FAIL	3	0.44 %
FAILED IN LEFT EAR ONLY	4	0.59 %
FAILED IN RIGHT EAR ONLY	3	0.44 %
INCOMPLETE SCREEN REPORTS	3	0.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	2	66.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Motts Children's HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23	
TOTAL FOLLOW UP RESULTS RECEIVED **		(11) 47.83 %
MISSING CASES	10	1.45 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	88	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	88	98.88 %
PASSED	88	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.12 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Huron Early On		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	24	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	16.67 %
ABR	17	70.83 %
DISTORTION PRODUCT	3	12.50 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	24	100.00 %
PASSED	24	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	236	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	233	98.73 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	38	16.31 %
ABR	70	30.04 %
DISTORTION PRODUCT	125	53.65 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	233	100.00 %
PASSED	227	97.42 %
BILATERAL FAIL	2	0.86 %
FAILED IN LEFT EAR ONLY	3	1.29 %
FAILED IN RIGHT EAR ONLY	1	0.43 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	33.33 %
MISSING CASES	3		1.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	851	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	833	97.88 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	99	11.94 %
ABR	0	0.00 %
DISTORTION PRODUCT	730	88.06 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	829	99.52 %
PASSED	800	96.50 %
BILATERAL FAIL	11	1.33 %
FAILED IN LEFT EAR ONLY	9	1.09 %
FAILED IN RIGHT EAR ONLY	9	1.09 %
INCOMPLETE SCREEN REPORTS	4	0.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	75.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51	
TOTAL FOLLOW UP RESULTS RECEIVED **		(21) 41.18 %
MISSING CASES	18	2.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9) 81.82 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(10) 55.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	91	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	86	94.51 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	72.94 %
ABR	0	0.00 %
DISTORTION PRODUCT	23	27.06 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	98.84 %
PASSED	82	96.47 %
BILATERAL FAIL	2	2.35 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.18 %
INCOMPLETE SCREEN REPORTS	1	1.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	22.22 %
MISSING CASES	5		5.49 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	182		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	181		99.45 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			79.67 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	112		76.71 %
ABR	0		0.00 %
DISTORTION PRODUCT	32		21.92 %
TEOAE	1		0.68 %
BILATERALLY COMPLETED REPORTS	145		80.11 %
PASSED	137		93.84 %
BILATERAL FAIL	2		1.37 %
FAILED IN LEFT EAR ONLY	5		3.42 %
FAILED IN RIGHT EAR ONLY	1		0.68 %
INCOMPLETE SCREEN REPORTS	36		19.89 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	25		69.44 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	8		22.22 %
DECEASED	3		8.33 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	37.78 %
MISSING CASES	1		0.55 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	36	(14)	38.89 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KLOPPINGDAVIS, MARLYCE, BERRIEN SPRINGS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	255	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	254	99.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	22	8.84 %
ABR	0	0.00 %
DISTORTION PRODUCT	227	91.16 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	249	98.03 %
PASSED	237	95.18 %
BILATERAL FAIL	2	0.80 %
FAILED IN LEFT EAR ONLY	8	3.21 %
FAILED IN RIGHT EAR ONLY	2	0.80 %
INCOMPLETE SCREEN REPORTS	5	1.97 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	60.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lake Michigan Hearing Center & Sinus & Sleep Apnea</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	88.89 %
MISSING CASES	1		0.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9)	90.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	165		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	165	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	10	6.06 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	155	93.94 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	165	100.00 %	
PASSED	151	91.52 %	
BILATERAL FAIL	5	3.03 %	
FAILED IN LEFT EAR ONLY	4	2.42 %	
FAILED IN RIGHT EAR ONLY	5	3.03 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL

TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL, MARQUETTE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	118	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	118	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	98.28 %
ABR	1	0.86 %
DISTORTION PRODUCT	1	0.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	116	98.31 %
PASSED	114	98.28 %
BILATERAL FAIL	1	0.86 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.86 %
INCOMPLETE SCREEN REPORTS	2	1.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette-OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **	(3)	75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL-NICU, MARQUETTE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	32	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	30	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	30	93.75 %
PASSED	30	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	6.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MAZZARA, KATE, HOWELL

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		11.11 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	33.33 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	66.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	25.00 %
MISSING CASES	6		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	177	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	176	99.44 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	174	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	174	98.86 %
PASSED	170	97.70 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.72 %
FAILED IN RIGHT EAR ONLY	1	0.57 %
INCOMPLETE SCREEN REPORTS	2	1.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	1		0.56 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICH. COMMUNITY HOSPITAL, MT.

PLEASANT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	134		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	132		98.51 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.01 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	130		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	130		98.48 %
PASSED	126		96.92 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	2		1.54 %
FAILED IN RIGHT EAR ONLY	2		1.54 %
INCOMPLETE SCREEN REPORTS	2		1.52 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	37.50 %
MISSING CASES	2		1.49 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	270	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	269	99.63 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	266	99.25 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.75 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	268	99.63 %
PASSED	260	97.01 %
BILATERAL FAIL	1	0.37 %
FAILED IN LEFT EAR ONLY	1	0.37 %
FAILED IN RIGHT EAR ONLY	6	2.24 %
INCOMPLETE SCREEN REPORTS	1	0.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	60.00 %
MISSING CASES	1		0.37 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	122	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	122	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	118	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	118	96.72 %
PASSED	110	93.22 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	6	5.08 %
FAILED IN RIGHT EAR ONLY	2	1.69 %
INCOMPLETE SCREEN REPORTS	4	3.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lapeer Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	232	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	229	98.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.28 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	228	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	228	99.56 %
PASSED	218	95.61 %
BILATERAL FAIL	4	1.75 %
FAILED IN LEFT EAR ONLY	3	1.32 %
FAILED IN RIGHT EAR ONLY	3	1.32 %
INCOMPLETE SCREEN REPORTS	1	0.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	42.86 %
MISSING CASES	3		1.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	144	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	141	97.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	2.14 %
ABR	0	0.00 %
DISTORTION PRODUCT	136	97.14 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	98.58 %
PASSED	131	93.57 %
BILATERAL FAIL	1	0.71 %
FAILED IN LEFT EAR ONLY	4	2.86 %
FAILED IN RIGHT EAR ONLY	3	2.14 %
INCOMPLETE SCREEN REPORTS	2	1.42 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	69.23 %
MISSING CASES	3	2.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MED CTR SCN, FLINT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	115	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	114	99.13 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.13 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	114	100.00 %
PASSED	112	98.25 %
BILATERAL FAIL	2	1.75 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	McLaren Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	1		0.87 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MECOSTA COUNTY MEDICAL CENTER, BIG RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	143	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	141	98.60 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.90 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	139	99.29 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.71 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	140	99.29 %
PASSED	136	97.14 %
BILATERAL FAIL	2	1.43 %
FAILED IN LEFT EAR ONLY	1	0.71 %
FAILED IN RIGHT EAR ONLY	1	0.71 %
INCOMPLETE SCREEN REPORTS	1	0.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mecosta OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **	(5)	71.43 %
MISSING CASES	2	1.40 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	97	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	97	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.94 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.05 %
ABR	0	0.00 %
DISTORTION PRODUCT	94	98.95 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	95	97.94 %
PASSED	82	86.32 %
BILATERAL FAIL	5	5.26 %
FAILED IN LEFT EAR ONLY	4	4.21 %
FAILED IN RIGHT EAR ONLY	4	4.21 %
INCOMPLETE SCREEN REPORTS	2	2.06 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial Healthcare Ctr - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **	(14)	93.33 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HOSPITAL OF MASON COUNTY, LUDINGTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	78	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	78	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	78	100.00 %
PASSED	77	98.72 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.28 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	476		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	475		99.79 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.48 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	30		6.47 %
ABR	20		4.31 %
DISTORTION PRODUCT	414		89.22 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	464		97.68 %
PASSED	440		94.83 %
BILATERAL FAIL	9		1.94 %
FAILED IN LEFT EAR ONLY	9		1.94 %
FAILED IN RIGHT EAR ONLY	6		1.29 %
INCOMPLETE SCREEN REPORTS	11		2.32 %
EQUIPMENT FAILURE	9		81.82 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		18.18 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Health Partners - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(30)	83.33 %
MISSING CASES	1		0.21 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(12)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(10)	90.91 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SERVICES NORTH-CADILLAC, CADILLAC

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	80	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	80	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	80	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	80	100.00 %
PASSED	77	96.25 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	3	3.75 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aud. Services Cadillac</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	63	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	63	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.41 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	3.23 %
ABR	0	0.00 %
DISTORTION PRODUCT	60	96.77 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	98.41 %
PASSED	54	87.10 %
BILATERAL FAIL	3	4.84 %
FAILED IN LEFT EAR ONLY	1	1.61 %
FAILED IN RIGHT EAR ONLY	4	6.45 %
INCOMPLETE SCREEN REPORTS	1	1.59 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY MEMORIAL HOSPITAL CORP - MONROE, MONROE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	177	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	177	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	170	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	170	96.05 %
PASSED	155	91.18 %
BILATERAL FAIL	8	4.71 %
FAILED IN LEFT EAR ONLY	4	2.35 %
FAILED IN RIGHT EAR ONLY	3	1.76 %
INCOMPLETE SCREEN REPORTS	7	3.95 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	1	14.29 %
TRANSFER TO ANOTHER FACILITY	6	85.71 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Monroe ENT	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22	
TOTAL FOLLOW UP RESULTS RECEIVED **		(14) 63.64 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(3) 42.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5) 71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	448	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	448	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	447	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	447	99.78 %
PASSED	439	98.21 %
BILATERAL FAIL	2	0.45 %
FAILED IN LEFT EAR ONLY	5	1.12 %
FAILED IN RIGHT EAR ONLY	1	0.22 %
INCOMPLETE SCREEN REPORTS	1	0.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	88.89 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID MICHIGAN MEDICAL CENTER GRATIOT , ALMA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	163	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	163	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	162	99.39 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.61 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	163	100.00 %
PASSED	163	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Grandview Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER-MIDLAND, MIDLAND

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	287	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	287	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	282	98.60 %
ABR	0	0.00 %
DISTORTION PRODUCT	4	1.40 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	286	99.65 %
PASSED	283	98.95 %
BILATERAL FAIL	1	0.35 %
FAILED IN LEFT EAR ONLY	2	0.70 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	209	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	209	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.09 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	197	96.10 %
ABR	7	3.41 %
DISTORTION PRODUCT	1	0.49 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	205	98.09 %
PASSED	187	91.22 %
BILATERAL FAIL	6	2.93 %
FAILED IN LEFT EAR ONLY	5	2.44 %
FAILED IN RIGHT EAR ONLY	7	3.41 %
INCOMPLETE SCREEN REPORTS	4	1.91 %
EQUIPMENT FAILURE	1	25.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	25.00 %
RESTLESSNESS	1	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(11)	91.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	215	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	215	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.21 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	203	96.67 %
ABR	4	1.90 %
DISTORTION PRODUCT	2	0.95 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	209	97.21 %
PASSED	194	92.38 %
BILATERAL FAIL	7	3.33 %
FAILED IN LEFT EAR ONLY	8	3.81 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	2.79 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	3	50.00 %
NICU HEARING PENDING	1	16.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	95.24 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5)	83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NO HOSPITAL,

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	90	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	98.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	89	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	89	100.00 %
PASSED	89	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		1.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	171	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	171	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.66 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	167	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	167	97.66 %
PASSED	164	98.20 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.80 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	2.34 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown Hearing Centers		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	14.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD ANNAPOLIS HOSPITAL, WAYNE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	218		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	215		98.62 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.17 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	210		98.13 %
ABR	3		1.40 %
DISTORTION PRODUCT	1		0.47 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	214		99.53 %
PASSED	212		99.07 %
BILATERAL FAIL	1		0.47 %
FAILED IN LEFT EAR ONLY	1		0.47 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		0.47 %
EQUIPMENT FAILURE	1		100.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	16.67 %
MISSING CASES	3		1.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL, DEARBORN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	882		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	879		99.66 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.55 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	877		99.89 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.11 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	878		99.89 %
PASSED	804		91.57 %
BILATERAL FAIL	11		1.25 %
FAILED IN LEFT EAR ONLY	25		2.85 %
FAILED IN RIGHT EAR ONLY	38		4.33 %
INCOMPLETE SCREEN REPORTS	1		0.11 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		100.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	78		
TOTAL FOLLOW UP RESULTS RECEIVED **		(57)	73.08 %
MISSING CASES	3		0.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8)	72.73 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	63	(49)	77.78 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	88	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	93.18 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	72	98.63 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	72	87.80 %
PASSED	72	98.63 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	10	12.20 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	60.00 %
DECEASED	4	40.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	56.25 %
MISSING CASES	6		6.82 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(9)	90.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	4	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	4	100.00 %	
PASSED	4	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE MEDICAL CENTER, TRENTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	168	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	161	95.83 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	158	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	158	98.14 %
PASSED	151	95.57 %
BILATERAL FAIL	1	0.63 %
FAILED IN LEFT EAR ONLY	3	1.90 %
FAILED IN RIGHT EAR ONLY	3	1.90 %
INCOMPLETE SCREEN REPORTS	3	1.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **	(10)	58.82 %
MISSING CASES	7	4.17 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	60	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	98.33 %
PASSED	59	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Otsego Memorial Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	81	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	80	98.77 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	98.73 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.27 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	79	98.75 %
PASSED	77	97.47 %
BILATERAL FAIL	1	1.27 %
FAILED IN LEFT EAR ONLY	1	1.27 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pennock Hospital - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **	(3)	75.00 %
MISSING CASES	1	1.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERKINS, CONNIE, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, CLARKSTON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	5	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	5	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PORT HURON HOSPITAL, PORT HURON

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	292	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	292	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.32 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	290	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	290	99.32 %
PASSED	287	98.97 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.03 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	0.68 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Port Huron Hospital - FBP		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PORTAGE HEALTH SYSTEM LAB, HANCOCK

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	73	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	72	98.63 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	81.94 %
PASSED	49	83.05 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	7	11.86 %
FAILED IN RIGHT EAR ONLY	3	5.08 %
INCOMPLETE SCREEN REPORTS	13	18.06 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	7.69 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	11	84.62 %
DECEASED	0	0.00 %
OTHER	1	7.69 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	75.00 %
MISSING CASES	1		1.37 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(12)	92.31 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, ANN ARBOR

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	183	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	182	99.45 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	176	97.78 %
ABR	3	1.67 %
DISTORTION PRODUCT	1	0.56 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	180	98.90 %
PASSED	171	95.00 %
BILATERAL FAIL	5	2.78 %
FAILED IN LEFT EAR ONLY	3	1.67 %
FAILED IN RIGHT EAR ONLY	1	0.56 %
INCOMPLETE SCREEN REPORTS	2	1.10 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	1	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lenawee County Early On</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 66.67 %
MISSING CASES	1	0.55 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	455	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	453	99.56 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	57	12.72 %
ABR	0	0.00 %
DISTORTION PRODUCT	391	87.28 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	448	98.90 %
PASSED	438	97.77 %
BILATERAL FAIL	4	0.89 %
FAILED IN LEFT EAR ONLY	5	1.12 %
FAILED IN RIGHT EAR ONLY	1	0.22 %
INCOMPLETE SCREEN REPORTS	5	1.10 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	60.00 %
DECEASED	2	40.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **		(11) 64.71 %
MISSING CASES	2	0.44 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4) 80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	515	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	511	99.22 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.64 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	5.71 %
ABR	0	0.00 %
DISTORTION PRODUCT	476	93.70 %
TEOAE	3	0.59 %
BILATERALLY COMPLETED REPORTS	508	99.41 %
PASSED	488	96.06 %
BILATERAL FAIL	10	1.97 %
FAILED IN LEFT EAR ONLY	7	1.38 %
FAILED IN RIGHT EAR ONLY	3	0.59 %
INCOMPLETE SCREEN REPORTS	3	0.59 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	74.07 %
MISSING CASES	4		0.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9)	90.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9)	90.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ROBINSON, HEATHER, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ROSS, SHELLIE, Perry

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	12	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	91.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		8.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	9.09 %
PASSED	0	0.00 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	10	90.91 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	70.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	30.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	58.33 %
MISSING CASES	1	8.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(7) 70.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	416	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	409	98.32 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	51	13.39 %
ABR	2	0.52 %
DISTORTION PRODUCT	328	86.09 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	381	93.15 %
PASSED	356	93.44 %
BILATERAL FAIL	13	3.41 %
FAILED IN LEFT EAR ONLY	6	1.57 %
FAILED IN RIGHT EAR ONLY	6	1.57 %
INCOMPLETE SCREEN REPORTS	28	6.85 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	10.71 %
NICU HEARING PENDING	21	75.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	10.71 %
DECEASED	1	3.57 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	60		
TOTAL FOLLOW UP RESULTS RECEIVED **		(26)	43.33 %
MISSING CASES	7		1.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	13	(8)	61.54 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(4)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	28	(14)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SOUTH HAVEN HEALTH SYSTEM, SOUTH HAVEN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	71	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	34.33 %
ABR	0	0.00 %
DISTORTION PRODUCT	44	65.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	67	94.37 %
PASSED	65	97.01 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	2.99 %
INCOMPLETE SCREEN REPORTS	4	5.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	851		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	850		99.88 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	142		16.75 %
ABR	0		0.00 %
DISTORTION PRODUCT	706		83.25 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	848		99.76 %
PASSED	799		94.22 %
BILATERAL FAIL	12		1.42 %
FAILED IN LEFT EAR ONLY	17		2.00 %
FAILED IN RIGHT EAR ONLY	20		2.36 %
INCOMPLETE SCREEN REPORTS	2		0.24 %
EQUIPMENT FAILURE	1		50.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	52		
TOTAL FOLLOW UP RESULTS RECEIVED **		(43)	82.69 %
MISSING CASES	1		0.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(11)	91.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(30)	81.08 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - CENTRAL PROCESSING, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	131	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	131	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		70.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	84.78 %
ABR	1	1.09 %
DISTORTION PRODUCT	13	14.13 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	92	70.23 %
PASSED	83	90.22 %
BILATERAL FAIL	5	5.43 %
FAILED IN LEFT EAR ONLY	2	2.17 %
FAILED IN RIGHT EAR ONLY	2	2.17 %
INCOMPLETE SCREEN REPORTS	39	29.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	35	89.74 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	7.69 %
DECEASED	1	2.56 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	48	
TOTAL FOLLOW UP RESULTS RECEIVED **	(38)	79.17 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	39	(31) 79.49 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1542	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1542	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.61 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1535	99.93 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.07 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1536	99.61 %
PASSED	1513	98.50 %
BILATERAL FAIL	4	0.26 %
FAILED IN LEFT EAR ONLY	15	0.98 %
FAILED IN RIGHT EAR ONLY	4	0.26 %
INCOMPLETE SCREEN REPORTS	6	0.39 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	33.33 %
NICU HEARING PENDING	3	50.00 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29	
TOTAL FOLLOW UP RESULTS RECEIVED **	(22)	75.86 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4 (3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19 (18)	94.74 %
INCOMPLETE CASES (RESULTS RECEIVED)	6 (1)	16.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH CARE- NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	246	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	243	98.78 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	197	99.49 %
ABR	1	0.51 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	198	81.48 %
PASSED	192	96.97 %
BILATERAL FAIL	3	1.52 %
FAILED IN LEFT EAR ONLY	3	1.52 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	45	18.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	39	86.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	8.89 %
DECEASED	2	4.44 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	54	
TOTAL FOLLOW UP RESULTS RECEIVED **	(14)	25.93 %
MISSING CASES	3	1.22 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3 (1)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3 (2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	45 (11)	24.44 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	124	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	121	97.58 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	121	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	121	100.00 %
PASSED	119	98.35 %
BILATERAL FAIL	1	0.83 %
FAILED IN LEFT EAR ONLY	1	0.83 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	3		2.42 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED MEMORIAL, GREENVILLE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	87	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	87	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	84	96.55 %
ABR	1	1.15 %
DISTORTION PRODUCT	2	2.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	100.00 %
PASSED	81	93.10 %
BILATERAL FAIL	1	1.15 %
FAILED IN LEFT EAR ONLY	4	4.60 %
FAILED IN RIGHT EAR ONLY	1	1.15 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND HOSPITAL, ZEELAND

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	128	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	128	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	127	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	127	99.22 %
PASSED	127	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	66	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	100.00 %
PASSED	66	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Francis OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.94 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	79	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	79	92.94 %
PASSED	75	94.94 %
BILATERAL FAIL	1	1.27 %
FAILED IN LEFT EAR ONLY	2	2.53 %
FAILED IN RIGHT EAR ONLY	1	1.27 %
INCOMPLETE SCREEN REPORTS	6	7.06 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	2	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(3)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	21	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	21	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	95.24 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	4.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	100.00 %
PASSED	20	95.24 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	4.76 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	697	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	695	99.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	689	99.71 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.29 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	691	99.42 %
PASSED	655	94.79 %
BILATERAL FAIL	5	0.72 %
FAILED IN LEFT EAR ONLY	17	2.46 %
FAILED IN RIGHT EAR ONLY	14	2.03 %
INCOMPLETE SCREEN REPORTS	4	0.58 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	4	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	42		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	52.38 %
MISSING CASES	2		0.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	31	(15)	48.39 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	292	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	290	99.32 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	287	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	287	98.97 %
PASSED	258	89.90 %
BILATERAL FAIL	7	2.44 %
FAILED IN LEFT EAR ONLY	12	4.18 %
FAILED IN RIGHT EAR ONLY	10	3.48 %
INCOMPLETE SCREEN REPORTS	3	1.03 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb Aud.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34	
TOTAL FOLLOW UP RESULTS RECEIVED **		(30) 88.24 %
MISSING CASES	2	0.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(20) 90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL -SCN, WARREN

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	61	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	96.72 %
PASSED	58	98.31 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.69 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	3.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	772	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	770	99.74 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	762	98.96 %
ABR	6	0.78 %
DISTORTION PRODUCT	2	0.26 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	770	100.00 %
PASSED	761	98.83 %
BILATERAL FAIL	1	0.13 %
FAILED IN LEFT EAR ONLY	7	0.91 %
FAILED IN RIGHT EAR ONLY	1	0.13 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	MOSA Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	45.45 %
MISSING CASES	2		0.26 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(4)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	60	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	55	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	55	91.67 %
PASSED	55	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	8.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>MOSA AUD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2)	40.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	367	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	367	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	0.82 %
ABR	0	0.00 %
DISTORTION PRODUCT	363	99.18 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	366	99.73 %
PASSED	315	86.07 %
BILATERAL FAIL	18	4.92 %
FAILED IN LEFT EAR ONLY	21	5.74 %
FAILED IN RIGHT EAR ONLY	12	3.28 %
INCOMPLETE SCREEN REPORTS	1	0.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	52		
TOTAL FOLLOW UP RESULTS RECEIVED **		(47)	90.38 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	18	(17)	94.44 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	33	(29)	87.88 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	75	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	75	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		85.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	39	60.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	25	38.46 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	64	85.33 %
PASSED	61	93.85 %
BILATERAL FAIL	1	1.54 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	3.08 %
INCOMPLETE SCREEN REPORTS	11	14.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	54.55 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	36.36 %
DECEASED	1	9.09 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Joseph Mercy- Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(11) 78.57 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(9) 81.82 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	178	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	178	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	175	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	175	98.31 %
PASSED	174	99.43 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.57 %
INCOMPLETE SCREEN REPORTS	3	1.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Mary's Hospital OB-Livonia		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S HEALTH CARE - GRAND RAPIDS, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	421	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	420	99.76 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.76 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	410	97.62 %
ABR	10	2.38 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	420	100.00 %
PASSED	404	96.19 %
BILATERAL FAIL	1	0.24 %
FAILED IN LEFT EAR ONLY	9	2.14 %
FAILED IN RIGHT EAR ONLY	6	1.43 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	88.24 %
MISSING CASES	1		0.24 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(14)	93.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S MERCY MEDICAL CENTER - NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	34	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	33	97.06 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	32	96.97 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	3.03 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	33	100.00 %
PASSED	32	96.97 %
BILATERAL FAIL	1	3.03 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		2.94 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	106	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.34 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	100	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	100	94.34 %
PASSED	98	98.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	5.66 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	93.94 %
ABR	4	6.06 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	97.06 %
PASSED	62	93.94 %
BILATERAL FAIL	2	3.03 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	3.03 %
INCOMPLETE SCREEN REPORTS	2	2.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6	
TOTAL FOLLOW UP RESULTS RECEIVED **	(3)	50.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	58	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	58	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	3.45 %
ABR	0	0.00 %
DISTORTION PRODUCT	56	96.55 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	58	100.00 %
PASSED	58	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Three Rivers OB Department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TOLEDO CHILDREN'S HOSPITAL, TOLEDO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	944		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	943		99.89 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.20 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	927		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	927		98.30 %
PASSED	865		93.31 %
BILATERAL FAIL	21		2.27 %
FAILED IN LEFT EAR ONLY	24		2.59 %
FAILED IN RIGHT EAR ONLY	17		1.83 %
INCOMPLETE SCREEN REPORTS	16		1.70 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	8		50.00 %
REFUSED	1		6.25 %
RESTLESSNESS	1		6.25 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		18.75 %
DECEASED	3		18.75 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of MI HS - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	79		
TOTAL FOLLOW UP RESULTS RECEIVED **		(61)	77.22 %
MISSING CASES	1		0.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	21	(18)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	41	(32)	78.05 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(11)	68.75 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	50	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	49	98.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		82.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	41	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	41	83.67 %
PASSED	38	92.68 %
BILATERAL FAIL	2	4.88 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	2.44 %
INCOMPLETE SCREEN REPORTS	8	16.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	75.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	2	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	58.33 %
MISSING CASES	1	2.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(5) 62.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	114.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(8)	114.29 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	81	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	97.53 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	8	10.39 %
ABR	0	0.00 %
DISTORTION PRODUCT	69	89.61 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	97.47 %
PASSED	68	88.31 %
BILATERAL FAIL	3	3.90 %
FAILED IN LEFT EAR ONLY	4	5.19 %
FAILED IN RIGHT EAR ONLY	2	2.60 %
INCOMPLETE SCREEN REPORTS	2	2.53 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Chippewa War Mem. Hosp. - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 61.54 %
MISSING CASES	2	2.47 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	60.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		20.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	33.33 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	66.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	2		40.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	33	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	33	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	9.09 %
ABR	0	0.00 %
DISTORTION PRODUCT	30	90.91 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	33	100.00 %
PASSED	28	84.85 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	5	15.15 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	West MI ENT		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO, ROYAL OAK

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	1070		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1063		99.35 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.35 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1061		99.81 %
ABR	1		0.09 %
DISTORTION PRODUCT	1		0.09 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1063		100.00 %
PASSED	1041		97.93 %
BILATERAL FAIL	7		0.66 %
FAILED IN LEFT EAR ONLY	12		1.13 %
FAILED IN RIGHT EAR ONLY	3		0.28 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	55.17 %
MISSING CASES	7		0.65 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(11)	73.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO - NICU, ROYAL OAK

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	104	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	89.42 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	93.55 %
PASSED	84	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.45 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	6.45 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	2	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	30.00 %
MISSING CASES	11		10.58 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(3)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY, TROY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	694	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	694	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	693	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	693	99.86 %
PASSED	678	97.84 %
BILATERAL FAIL	5	0.72 %
FAILED IN LEFT EAR ONLY	4	0.58 %
FAILED IN RIGHT EAR ONLY	6	0.87 %
INCOMPLETE SCREEN REPORTS	1	0.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	93.75 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9)	90.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY - NICU, TROY

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	94	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.81 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	91	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	91	96.81 %
PASSED	88	96.70 %
BILATERAL FAIL	1	1.10 %
FAILED IN LEFT EAR ONLY	1	1.10 %
FAILED IN RIGHT EAR ONLY	1	1.10 %
INCOMPLETE SCREEN REPORTS	3	3.19 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	2	66.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WINKLER, CLARICE, LANSING

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	60.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	3	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	3	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	2	40.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WOODARD CPM, KIM, SPRINGFIELD

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	12	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	12	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	108.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(13)	108.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

NEWBORN SCREENS FROM 01/01/2013 - 03/31/2013	10		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8		80.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	8		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	8		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	90.00 %
MISSING CASES	2		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(9)	112.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
